



ASYNC CONTROLLER LS-X3C SPECIFICATION



OVERVIEW

LS-X3C is a full color async controller, which has 8 GB memory, supports U disk extension, plug and play, 4096 grey level, and also supports console communication, LAN communication, cluster management and cloud platform management, WiFi communication, and also 4G module (including GPS).

APPEARANCE



1	100m network interface	2	USB2.0
3	3.5mm headphone jack	4	CVBS output interface
5	power/system light	6	System upgrade key
7	Power socket	8	Power plug

9	USB3.0	10	WIFI antenna interface
11	75E interface	12	75E interface

PRODUCT PARAMETERS

Load	384*192 (4 scan) 256*384 (16 scan) 256*768 (32 scan)		
Memory	8GB ROM,1GB RAM		
Refreshment rate	Max 16KHZ		
Grey	4096		
Grey level	Max 2~65536		
Scan mode	Compatible with indoor&outdoor, smart setting		
HUB interface	12*75E		
Communication interface	Internet access/U disk/WiFi/4G		
Communication mode	LAN, WAN, console communication, WIFI		
Remote manangement	Remote cluster publish&management, cloud platform management and APP		
Audio interface	3.5mm stereo analog audio output		
Video decode	HD hard decode		
Video format	Compatible with main formats		
Audio format	Compatible with main formats		
Memeory interface	USB 2.0/3.0 Host		
Timing play	support		
Partition	Free		
Software edition	LS-Cloud Platform		
-			

DIAGRAM DRAWING

